

HOW TO CHOOSE A BLIND IN 3 EASY STEPS?



STEP 1 CHOOSE YOUR BLIND ACCORDING TO YOUR NEEDS



ALMOST 100% BLACKOUT

DUA

BLACKOUT BLIND

This high-performance blind is designed to completely cut out light in a room. This blind offers almost 100% blackout so can turn day into night within seconds. It stops in any position, is easy to clean (just use a damp cloth) and made from high-quality rubber-coated polyester fabric which is hard-wearing and dirt-resistant.
Recommended for: Bedrooms, living spaces, kids/nursery rooms or for the home office.




FILTERED LIGHT

PAA

VENETIAN BLINDS

This classic but practical blind lets filtered light flow into a room while still offering privacy and multifit on any roof window. It's humidity resistant, easy-to-clean and each aluminium slat is individually lacquered so it's ideal for humid environments such as bathrooms. It can be stopped in any position.
Recommended for: Kitchens and bathrooms




SHADE AND THERMO-REGULATION

MIA

ANTI-HEAT BLIND

Anti-heat blind stops up to 80% of sunlight without obscuring the view. This blind is designed to keep the heat out while letting a soft light into the room. The durable material on this externally-fitted blind is PVC-coated, rot-proof roof and dirt-resistant fibreglass fabric.
Recommended for: Rooms where you spend time during the day, such as the living room or the office.



PROTECTION AGAINST HEAT

SSR

SOLAR ROLLER SHUTTER

Solar-operated external shutter offers the most effective coverage against solar heat, light and noise. The ability to open the window when the solar blind is closed provides ventilation and shade at the same time.
Recommended for: Rooms where you spend time during the day, such as the living room or the office.

STEP 2 CHOOSE THE COLOUR FOR YOUR BLIND



STEP 3 CHOOSE THE RIGHT BLIND SIZE

Choose the correct blind size based on the roof window model, by checking the data plate. You can find this on the right corner of the top sash, behind the ventilation flap.
Here you will find the model and size of the roof window.



Data plate VELUX®



Data plate DAKSTRA, ROOFLITE



Data plate DAKEA®



Data plate FAKRO®, OPTILIGHT®



Data plate KEYLITE®



VELUX® and the VELUX® brand are registered trademarks of VELUX Group. FAKRO® and the FAKRO® brand are registered trademarks of FAKRO Group. Optilight® and the Optilight® brand are registered trademarks of FAKRO Group. Keylite® and the Keylite® brand are registered trademarks of the Keystone Group. Starlite® and the Starlite® brand are registered trademarks of the Keystone Group. Dakea, DAKSTRA, RoofLITE are registered trademarks of the ALTATERRA Ltd.

FIND THE RIGHT BLIND SIZE FOR YOUR ROOF WINDOW



BLACKOUT BLIND (DUA)

Dakea item code*	Roof window size	VELUX	Sizes	Keylite, Starlite	Fakro	Sizes	Optilight
DUA C2A	55x78	GFL, GGL, GGU, GLL, GLU, GZL	C02, CK02	01: 55x78	FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	01: 55x78	01: 55x78
DUA C4A	55x98	GFL, GGL, GGU, GHL, GHU, GLL, GLU, GPU, GZL	C04, CK04	02: 55x98	FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	02: 55x98	02: 55x98
DUA F4A	66x98	GGL, GGU, GLL, GLU, GZL	F04, FK04		FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	03: 66x98	
DUA F6A	66x118	GGL, GGU, GHL, GHU, GLL, GLU, GPU, GXL, GZL	F06, FK06	03: 66x118	FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	04: 66x118	04: 66x118
DUA M4A	78x98	GFL, GGL, GGU*, GHL, GHU, GLL, GLU, GPU*, GRL, GZL, VTL	M04, MK04, 304, 1	04: 78x98	FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	05: 78x98	05: 78x98
DUA M6A	78x118	GFL, GGL, GGU*, GHL, GHU, GLL, GLU, GPL, GPU*, GZL	M06, MK06, 306, 14	05: 78x118	FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	06: 78x118	06: 78x118
DUA M8A	78x140	GFL, GGL, GGU*, GHL, GHU, GLL, GLU, GPL, GPU*, GTL, GTN, VTL	M08, MK08, 308, 2	06: 78x140	FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	07: 78x140	07: 78x140
DUA M10A	78x160	GGL, GGU*, GLL, GLU, GPL, GPU*, GZL	M10, MK10, 310, 13		FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	13: 78x160	
DUA P6A	94x118	GGL, GGU*, GLL, GLU, GPL, GPU*, GZL	P06, PK06, 406		FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	08: 94x118	
DUA S6A	114x118	GFL, GGL, GGU*, GHL, GHU, GLL, GLU, GPL, GPU*, GTN, GZL	S06, SK06, 606, 4	08: 114x118	FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	10: 114x118	10: 114x118
DUA U4A	134x98	GFL, GGL, GGU*, GHL, GLL, GLU, VTL	U04, UK04, 804, 7	09: 134x98	FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	12: 134x98	12: 134x98
DUA U8A	134x140	GFL, GGL, GGU*, GHL, GLL, GLU, GPL, GPU*, VTL	U08, UK08, 808, 8	10: 134x140			

* DUA is not compatible with GGU and GPU 1, 2, 4, 7, 8, 10, 13, 14, 304, 306, 308, 310, 406, 408, 606, 608, 804, 808.


FIND THE RIGHT BLIND SIZE FOR YOUR ROOF WINDOW



VENETIAN BLIND (PAA)

Dakea item code*	Roof window size	for VELUX Types *	Sizes	Keylite, Starlite	Fakro	Sizes	Optilight
PAA C2A	55x78	GFL, GGL, GGU, GLL, GLU, GZL	C02, CK02	01: 55x78	FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	01: 55x78	01: 55x78
PAA C4A	55x98	GFL, GGL, GGU, GHL, GHU, GLL, GLU, GPU, GZL	C04, CK04	02: 55x98	FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	02: 55x98	02: 55x98
PAA F4A	66x98	GGL, GGU, GLL, GLU, GZL	F04, FK04		FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	03: 66x98	
PAA F6A	66x118	GGL, GGU, GHL, GHU, GLL, GLU, GPU, GXL, GZL	F06, FK06	03: 66x118	FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	04: 66x118	04: 66x118
PAA M4A	78x98	GFL, GGL, GGU*, GHL, GHU, GLL, GLU, GPU*, GRL, GZL, VTL	M04, MK04, 304, 1	04: 78x98	FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	05: 78x98	05: 78x98
PAA M6A	78x118	GFL, GGL, GGU*, GHL, GHU, GLL, GLU, GPL, GPU*, GZL	M06, MK06, 306, 14	05: 78x118	FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	06: 78x118	06: 78x118
PAA M8A	78x140	GFL, GGL, GGU*, GHL, GHU, GLL, GLU, GPL, GPU*, GTL, GTL, VTL	M08, MK08, 308, 2	06: 78x140	FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	07: 78x140	07: 78x140
PAA M10A	78x160	GGL, GGU*, GLL, GLU, GPL, GPU*, GZL	M10, MK10, 310, 13		FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	13: 78x160	
PAA P6A	94x118	GGL, GGU*, GLL, GLU, GPL, GPU*, GZL	P06, PK06, 406		FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	08: 94x118	
PAA S6A	114x118	GFL, GGL, GGU*, GHL, GHU, GLL, GLU, GPL, GPU*, GTN	S06, SK06, 606, 4	08: 114x118	FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	10: 114x118	10: 114x118
PAA S8A	114x140	GFL, GGL, GGU*, GHL, GHU, GLL, GLU, GPL, GPU*, GTL, GTU	S08, SK08, 608, 10		FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	11: 114x140	
PAA U4A	134x98	GFL, GGL, GGU*, GHL, GLL, GLU, VTL	U04, UK04, 804, 7	09: 134x98	FPP-V, FPU-V, FTP-V, FTS-V, FTU-V, FTW-V	12: 134x98	12: 134x98
PAA U8A	134x140	GFL, GGL, GGU*, GHL, GLL, GLU, GPL, GPU*, VTL	U08, UK08, 808, 8	10: 134x140			

* PAA is not compatible with GGU and GPU 1, 2, 4, 7, 8, 10, 13, 14, 304, 306, 308, 310, 406, 606, 608, 804, 808.




ANTI-HEAT BLIND (MIA)

Dakea item code*	Roof window size	VELUX	Sizes
MIA CxA	55x78, 55x98, 55x118	GFL, GGL, GGU, GHL, GHU, GLL, GLU, GPU, GZL	C02, CK02, C04, CK04
MIA FxA	66x98, 66x118	GGL, GGU, GHL, GHU, GLL, GLU, GPU, GZL	F04, FK04, F06, FK06
MIA MxA	78x98, 78x118, 78x140, 78x160	GFL, GGL, GGU, GHL, GHU, GLL, GLU, GPL, GPU, GRL, GTL, GTU, GZL, VTL	M04, MK04, 304, 1, M06, MK06, 306, 14, M08, MK08, 308, 2, M10, MK10, 310, 13
MIA PxA	94x118, 94x140	GFL, GGL, GGU, GHL, GHU, GLL, GLU, GPL, GPU, GTL, GTN, GTU, GZL, VTL	P04, P06, P08, P10, PK04, PK06, PK08, PK10, 3, 31, 404, 406, 408, 410, 425
MIA SxA	114x118, 114x140	GFL, GGL, GGU, GHL, GHU, GLL, GLU, GPL, GPU, GTL, GTN, GTU, GZL, VTL	S06, SK06, 606, 4, S08, SK08, 608, 10
MIA UxA	134x98, 134x140	GFL, GGL, GGU, GHL, GLL, GLU, GPL, GPU, VTL	U04, UK04, 804, 7, U08, UK08, 808, 8

* MIA is not compatible with VELUX windows equipped with ZZZ 214(K) Ventil unit (Renson ventil unit). MIA is not compatible with VELUX Integra roof windows.

VELUX® and the VELUX® brand are registered trademarks of VELUX Group. FAKRO® and the FAKRO® brand are registered trademarks of FAKRO Group. Optilight® and the Optilight® brand are registered trademarks of FAKRO Group. Keylite® and the Keylite® brand are registered trademarks of the Keystone Group. Starlite® and the Starlite® brand are registered trademarks of the Keystone Group. Dakea, DAKSTRA, RoofLITE are registered trademarks of the ALTATERRA Ltd.

FIND THE RIGHT BLIND SIZE FOR YOUR ROOF WINDOW



SOLAR ROLLER SHUTTER (SSR)

Dakea item code*	Roof window size	Dakea*	RoofLITE/RoofLITE+**	Dakstra	Solstro
SSR C2A	55x78	C2A	C2A	C2A	C2A
SSR C4A	55x98	C4A	C4A	C4A	C4A
SSR C6A	55x118	C6A			
SSR F4A	66x98	F4A			
SSR F6A	66x118	F6A	F6A	F6A	F6A
SSR M4A	78x98	M4A	M4A	M4A	M4A
SSR M6A	78x118	M6A	M6A	M6A	M6A
SSR M8A	78x140	M8A	M8A	M8A	M8A
SSR M10A	78x160	M10A			
SSR P6A	94x118	P6A			
SSR P8A	94x140	P8A			
SSR S6A	114x118	S6A	S6A	S6A	S6A
SSR S8A	114x140	S8A			
SSR U4A	134x98	U4A			
SSR U8A	134x140	U8A			

* Solar roller shutter [SSR] is not compatible with KHV windows. ** Solar roller shutter [SSR] is not compatible with RoofLITE roof window from OPP series + MOEVX, MOE.



SOLAR BLIND FOR FLAT ROOF WINDOW (FSA)

Dakea item code	Flat roof window opening (cm)	Sizes
FSA 0606	60x60	0606
FSA 0609	60x90	0609
FSA 0808	80x80	0808
FSA 0909	90x90	0909
FSA 0912	90x120	0912
FSA 1010	100x100	1010
FSA 1015	100x150	1015
FSA 1212	120x120	1212

VELUX® and the VELUX® brand are registered trademarks of VELUX Group. FAKRO® and the FAKRO® brand are registered trademarks of FAKRO Group. Optilight® and the Optilight® brand are registered trademarks of FAKRO Group. Keylite® and the Keylite® brand are registered trademarks of the Keystone Group. Starlite® and the Starlite® brand are registered trademarks of the Keystone Group. Dakea, DAKSTRA, RoofLITE are registered trademarks of the ALTATERRA Ltd.